

## 2008 Articles

- **Mayoral M, Bombín I, Zabala A, Robles O, Moreno D, Parellada M, Ruiz-Sancho A, Arango C.** *Neurological soft signs in adolescents with first episode psychosis: Two-year followup.* Psychiatry Research 2008; 161:344-348 FI: 2.666 Q2.
- **Elizabeth Sublette M, Carballo JJ, Moreno C, Galfalvy HC, Brent DA, Birmaher B, John Mann J, Oquendo MA.** *Substance use disorders and suicide attempts in bipolar subtypes.* Journal of Psychiatric Research 2008; 43:230-238 FI: 4.679 Q1.
- **Mostany R, Valdizán EM, Pazos A.** *A role for nuclear  $\beta$ -catenin in SNRI antidepressant-induced hippocampal cell proliferation.* Neuropharmacology 2008; 55:18-26 FI: 3.383 Q2.
- **Sengupta S, Parrilla-Escobar MA, Klink R, Fathalli F, King Ng Y, Stip E, Baptista T, Malla A, Joobar R.** *Are metabolic indices different between drug-naïve first-episode psychosis patients and healthy controls?* Schizophrenia Research 2008; 102:329-336 FI: 4.174 Q1.
- **Carballo JJ, Harkavy-Friedman J, Burke AK, Sher L, Baca-Garcia E, Sullivan GM, Grunebaum MF, Parsey RV, Mann JJ, Oquendo MA.** *Family history of suicidal behaviour and early traumatic experiences: Additive effect on suicidality and course of bipolar illness?* Journal of Affective Disorders 2008; 109:57-63 FI: 3.271 Q2.
- **Coghill D, Soutullo C, d'Aubuisson C, Preuss U, Lindback T, Silverberg M, Buitelaar J.** *Impact of attention-deficit/hyperactivity disorder on the patient and family: results from a European survey* Child and Adolescent Psychiatry and Mental Health 2008; 2:31.