

## Publicaciones 2011

- **Nuevo R, Chatterji S, Fraguas D, Verdes E, Naidoo N, Arango C, Ayuso-Mateos JL.** *Increased Risk of Diabetes Mellitus Among Persons With Psychotic Symptoms: Results From the WHO World Health Survey.* Journal of Clinical Psychiatry 2011; 72:1592-1599 FI: 5.799 Q1.
- **Goldberg X, Fatjó-Vilas M, Penadés R, Miret S, Muñoz MJ, Vossen H, Fañanás L.** *Neurodevelopmental liability to schizophrenia: The complex mediating role of age at onset and premorbid adjustment.* Schizophrenia Research 2011; 133:143-149 FI: 4.748 Q1.
- **Rubio JL, Ruiz-Veguilla M, Hernández L, Barrigón ML, Salcedo MD, Moreno JM, Gómez E, Moritz S, Ferrín M.** *Jumping to conclusions in psychosis: A faulty appraisal.* Schizophrenia Research 2011; 133:199-204 FI: 4.748 Q1.
- **Guzmán-Fulgencio M, Berenguer J, Micheloud D, Fernández-Rodríguez A, García-Álvarez M, Jiménez-Sousa MA, Bellón JM, Campos Y, Cosín J, Aldámiz-Echevarría T, Catalán P, López JC, Resino S.** *European Mitochondrial DNA Haplogroups and Metabolic Disorders in HIV/HCV-Coinfected Patients on Highly Active Antiretroviral Therapy.* JAIDS-Journal of Acquired Immune Deficiency Syndromes 2011; 58:371-378 FI: 4.425 Q1.
- **Horga G, Maia TV, Wang P, Wang Z, Marsh R, Peterson BS.** *Adaptation to Conflict via Context-Driven Anticipatory Signals in the Dorsomedial Prefrontal Cortex.* Journal of Neuroscience 2011; 31:16208-16216 FI: 7.115 Q1.
- **Almolda B, Costa M, Montoya M, González B, Castellano B.** *Increase in Th17 and T-reg Lymphocytes and Decrease of IL22 Correlate with the Recovery Phase of Acute EAE IN Rat.* Plos One; 6-e27473-10.1371/journal.pone.0027473 FI: 4.092 Q1.
- **Fernandez AP, Serrano J, Amorim MA, Pozo-Rodrigalvarez A, Martinez-Murillo R.** *Adrenomedullin and Nitric Oxide: Implications for the Etiology and Treatment of Primary Brain Tumors.* CNS & Neurological Disorders-Drug Targets; 10:820-833 FI: 3.810 Q2.
- **Marchena M, Lara J, Aijón J, Germain F, de la Villa P, Velasco A.** *The retina of the PCD/PCD mouse as a model of photoreceptor degeneration. A structural and functional study.* Experimental Eye Research 2011; 93: 607-617 FI: 3.259 Q1.
- **Reyero F, Ponce G, Rodriguez-Jimenez R, Fernandez-Dapica P, Taboada D, Martín V, Navio M, Jimenez-Arriero MA, Hoenicka J, Palomo T.** *High frequency of childhood ADHD history in women with fibromyalgia.* European Psychiatry 2011; 26:482-483 FI: 2.766 Q2.
- **Marsh R, Horga G, Wang Z, Wang P, Klahr KW, Berner LA, Walsh BT, Peterson BS.** *An fMRI Study of Self-Regulatory Control and Conflict Resolution in Adolescents With Bulimia Nervosa.* American Journal of Psychiatry 2011; 168:1210-1220 FI: 12.539 Q1.
- **Reig S, Parellada M, Castro-Fornieles J, Janssen J, Moreno D, Baeza I, Bargalló N, González-Pinto A, Graell M, Ortuño F, Otero S, Arango C, Desco M.** *Multicenter Study of Brain Volume Abnormalities in Children and Adolescent-Onset Psychosis.* Schizophrenia Bulletin 2011; 37:1270-1280 FI: 8.800 Q1.
- **Baca-Garcia E, Perez-Rodriguez MM, Oquendo MA, Keyes KM, Hasin DS, Grant BF, Blanco C.** *Estimating risk for suicide attempt: Are we asking the*

- right questions? Passive suicidal ideation as a marker for suicidal behaviour.* Journal of Affective Disorders 2011; 134:327-332 FI: 3.517 Q1.
- **Sugranyes G, Kyriakopoulos M, Corrigall R, Taylor E, Frangou S.** *Autism Spectrum Disorders and Schizophrenia: Meta-Analysis of the Neural Correlates of Social Cognition.* Plos One 2011; 6: e25322-10.1371/journal.pone.0025322 FI: 4.092 Q1.
  - **Brissos S, Balanzá-Martinez V, Dias VV, Carita AI, Figueira ML.** *Is personal and social functioning associated with subjective quality of life in schizophrenia patients living in the community?* European Archives of Psychiatry and Clinical Neuroscience 2011; 261:509-517 FI: 3.494 Q2.
  - **Cuerda C, Merchan-Naranjo J, Velasco C, Gutierrez A, Leiva M, de Castro MJ, Parellada M, Giráldez M, Bretón I, Camblor M, García-Peris P, Dulín E, Sanz I, Desco M, Arango C.** *Influence of resting energy expenditure on weight gain in adolescents taking second-generation antipsychotics.* Clinical Nutrition 2011; 30:616-623 FI: 3.731 Q1.
  - **Gimenez-Cassina A, Wade-Martins R, Gomez-Sebastian S, Corona JC, Lim F, Diaz-Nido J.** *Infectious delivery and long-term persistence of transgene expression in the brain by a 135-kb iBAC-FXN genomic DNA expression vector.* Gene Therapy 2011; 18:1015-1019 FI: 3.710 Q1.
  - **Wang WZ, Oeschger FM, Montiel JF, García-Moreno F, Hoerder-Suabedissen A, Krubitzer L, Ek CJ, Saunders NR, Reim K, Villalón A, Molnár Z.** *Comparative Aspects of Subplate Zone Studied with Gene Expression in Sauropsids and Mammals.* Cerebral Cortex 2011; 21:2187-2203 FI: 6.544 Q1.
  - **Gómez-Guerrero L, Martín CD, Mairena MA, Di Martino A, Wang J, Mendelsohn AL, Dreyer BP, Isquith PK, Gioia G, Petkova E, Castellanos FX.** *Response-Time Variability Is Related to Parent Ratings of Inattention, Hyperactivity, and Executive Function.* Journal of Attention Disorders 2011; 15: 572-582 FI: 2.447 Q2.
  - **Horga G, Parellada E, Lomeña F, Fernández-Egea E, Mané A, Font M, Falcón C, Konova AB, Pavia J, Ros D, Bernardo M.** *Differential brain glucose metabolic patterns in antipsychotic-naive first-episode schizophrenia with and without auditory verbal hallucinations.* Journal of Psychiatry & Neuroscience 2011; 36:312-321 FI: 5.342 Q1.
  - **Campuzano O, Castillo-Ruiz MM, Acarin L, Gonzalez B, Castellano B.** *Decreased myeloperoxidase expressing cells in the aged rat brain after excitotoxic damage.* Experimental Gerontology 2011; 46:723-730 FI: 3.741 Q1.
  - **García-Álvarez M, Guzmán-Fulgencio M, Berenguer J, Micheloud D, Campos Y, López JC, Cosín J, Miralles P, Alvarez E, Resino S.** *European mitochondrial DNA haplogroups and liver fibrosis in HIV and hepatitis C virus coinfecting patients.* AIDS; 25:1619-1626 FI: 6.245 Q1.
  - **de Castro-Manglano P, Mechelli A, Soutullo C, Landecho I, Gimenez-Amaya JM, Ortuño F, McGuire P.** *Structural brain abnormalities in first-episode psychosis: differences between affective psychoses and schizophrenia and relationship to clinical outcome.* Bipolar Disorders 2011; 13:545-555 FI: 5.289 Q1.
  - **Cubillo A, Halari R, Giampietro V, Taylor E, Rubia K.** *Fronto-striatal underactivation during interference inhibition and attention allocation in grown up children with attention deficit/hyperactivity disorder and persistent symptoms.* Psychiatry Research-Neuroimaging 2011; 193: 17-27 FI: 2.964 Q2.

- **Palomo GM, Cerrato T, Gargini R, Diaz-Nido J.** *Silencing of frataxin gene expression triggers p53-dependent apoptosis in human neuron-like cells.* Human Molecular Genetics 2011; 20: 2807-2822 FI: 7.636 Q1.
- **Brissos S, Dias VV, Balanzá-Martínez V, Carita AI, Figueira ML.** *Symptomatic remission in schizophrenia patients: Relationship with social functioning, quality of life, and neurocognitive performance.* Schizophr Res. 2011; 129:133-136 FI: 4.748 Q1.
- **Escamilla I, Wozniak J, Soutullo CA, Gamazo-Garrán P, Figueroa-Quintana A, Biederman J.** *Pediatric bipolar disorder in a Spanish sample: Results after 2.6 years of follow-up.* Journal of Affective Disorders 2011; 132:270-274 FI: 3.517 Q1.
- **Pampliega O, Domercq M, Soria FN, Villoslada P, Rodríguez-Antigüedad A, Matute C.** *Increased expression of cystine/glutamate antiporter in multiple sclerosis.* Journal of Neuroinflammation 2011; 8: 10.1186/1742-2094-8-63 FI: 3.827 Q2.
- **Rico B, Marín O.** *Neuregulin signaling, cortical circuitry development and schizophrenia.* Current Opinion in Genetics & Development 2011; 21: 262-270 FI: 8.086 Q1.
- **Tabarés-Seisdedos R, Dumont N, Baudot A, Valderas JM, Climent J, Valencia A, Crespo-Facorro B, Vieta E, Gómez-Beneyto M, Martínez S, Rubenstein JL.** *No paradox, no progress: inverse cancer comorbidity in people with other complex diseases.* Lancet Oncology 2011; 12: 604-608 FI: 22.589 Q1.
- **Estrada G, Fatjó-Vilas M, Muñoz MJ, Pulido G, Miñano MJ, Toledo E, Illa JM, Martín M, Miralles ML, Miret S, Campanera S, Bernabeu C, Navarro ME, Fañanás L.** *Cannabis use and age at onset of psychosis: further evidence of interaction with COMT Val158Met polymorphism.* Acta Psychiatrica Scandinavica 2011; 123: 485-492 FI: 4.220 Q1.
- **Lopez-Castroman J, Perez-Rodriguez Mde L, Jaussent I, Alegria AA, Artes-Rodriguez A, Freed P, Guillaume S, Jollant F, Leiva-Murillo JM, Malafosse A, Oquendo MA, de Prado-Cumplido M, Saiz-Ruiz J, Baca-Garcia E, Courtet P.** *Distinguishing the relevant features of frequent suicide attempters.* Journal of Psychiatric Research 2011; 45:619-625 FI: 4.664 Q1.
- **Vidair HB, Reyes JA, Shen S, Parrilla-Escobar MA, Heleniak CM, Hollin IL, Woodruff S, Turner JB, Rynn MA.** *Screening Parents During Child Evaluations: Exploring Parent and Child Psychopathology in the Same Clinic.* Journal of the American Academy of Child and Adolescent Psychiatry 2011; 50: 441-450 FI: 6.444 Q1.
- **Morcillo C, Duarte CS, Shen S, Blanco C, Canino G, Bird HR.** *Parental Familism and Antisocial Behaviors: Development, Gender, and Potential Mechanisms.* Journal of the American Academy of Child and Adolescent Psychiatry 2011; 50:471-479 FI: 6.444 Q1.
- **Di Martino A, Kelly C, Grzadzinski R, Zuo XN, Mennes M, Mairena MA, Lord C, Castellanos FX, Milham MP.** *Aberrant Striatal Functional Connectivity in Children with Autism.* Biological Psychiatry 2011; 69: 847-856 FI: 8.283 Q1.
- **Montoya A, Colom F, Ferrin M.** *Is psychoeducation for parents and teachers of children and adolescents with ADHD efficacious? A systematic literature review.* European Psychiatry 2011; 26:166-175 FI: 2.766 Q1.

- **Baca-Garcia E, Perez-Rodriguez MM, Keyes KM, Oquendo MA, Hasin DS, Grant BF, Blanco C.** *Suicidal ideation and suicide attempts among Hispanic subgroups in the United States: 1991-1992 and 2001-2002.* Journal of Psychiatric Research 2011; 45: 512-518 FI: 4.664 Q1.
- **Lera-Miguel S, Andrés-Perpiñá S, Calvo R, Fatjó-Vilas M, Fañanás L, Lázaro L.** *Early-onset bipolar disorder: how about visual-spatial skills and executive functions?* European Archives of Psychiatry and Clinical Neuroscience 2011; 261:195-203 FI: 3.494 Q2.
- **Fatjó-Vilas M, Papiol S, Estrada G, Bombín I, Peralta V, Rosa A, Parellada M, Miret S, Martín M, Lázaro L, Campanera S, Muñoz MJ, Lera-Miguel S, Arias B, Navarro ME, Castro-Fornieles J, Cuesta MJ, Arango C, Fañanás L.** *Dysbindin-1 Gene Contributes Differentially to Early- and Adult-Onset Forms of Functional Psychosis.* American Journal of Medical Genetics Part B-Neuropsychiatric Genetics 2011; 156B:322-333 FI: 3.705 Q1.
- **Papiol S, Begemann M, Rosenberger A, Friedrichs H, Ribbe K, Grube S, Schwab MH, Jahn H, Gunkel S, Benseler F, Nave KA, Ehrenreich H.** *A Phenotype-Based Genetic Association Study Reveals the Contribution of Neuregulin1 Gene Variants to Age of Onset and Positive Symptom Severity in Schizophrenia.* American Journal of Medical Genetics Part B-Neuropsychiatric Genetics 2011; 156B: 340-345 FI: 3.705 Q1.
- **Valor L, Teijeiro R, Aristimuño C, Faure F, Alonso B, de Andrés C, Tejera M, López-Lazareno N, Fernández-Cruz E, Sánchez-Ramón S.** *Estradiol-dependent perforin expression by human regulatory T-cells.* European Journal of Clinical Investigation 2011; 41:357-364 FI: 3.018 Q2.
- **Rubia K, Cubillo A, Woolley J, Brammer MJ, Smith A.** *Disorder-Specific Dysfunctions in Patients with Attention-Deficit/Hyperactivity Disorder. Compared to Patients with Obsessive-Compulsive Disorder during Interference Inhibition and Attention Allocation.* Human Brain Mapping 2011; 32: 601-611 FI: 5.880 Q1.
- **De Castro-Manglano P, Mechelli A, Soutullo C, Gimenez-Amaya J, Ortuño F, McGuire P.** *Longitudinal changes in brain structure following the first episode of psychosis.* Psychiatry Research-Neuroimaging 2011; 191:166-173 FI: 2.964 Q2.
- **Lodato S, Tomassy GS, De Leonibus E, Uzcategui YG, Andolfi G, Armentano M, Touzot A, Gaztelu JM, Arlotta P, Menendez de la Prida L, Studer M.** *Loss of COUP-TF1 Alters the Balance between Caudal Ganglionic Eminence- and Medial Ganglionic Eminence-Derived Cortical Interneurons and Results in Resistance to Epilepsy.* Journal of Neuroscience 2011; 31:4650-4662 FI: 7.115 Q1.
- **Sato F, Martinez NE, Omura S, Tsunoda I.** *Heterogeneity versus homogeneity of multiple sclerosis.* Expert Review of Clinical Immunology 2011; 7:165-167 FI: 2.890 Q3.
- **Malcolm CP, Picchioni MM, DiForti M, Sugranyes G, Cooke E, Joseph C, McQueen G, Paparelli A, Stilo S, O'Connor J, Morgan C, Murray RM, Hodgins S.** *Pre-morbid Conduct Disorder symptoms are associated with cannabis use among individuals with a first episode of psychosis.* Schizophrenia Research 2011; 126:81-86 FI: 4.748 Q1.
- **Vidal R, Pilar-Cuéllar F, dos Anjos S, Linge R, Treceño B, Vargas VI, Rodriguez-Gaztelumendi A, Mostany R, Castro E, Diaz A, Valdizán EM, Pazos A.** *New Strategies in the Development of Antidepressants: Towards the*

- Modulation of Neuroplasticity Pathways*. Current Pharmaceutical Design 2011; 17:521-533 FI: 3.870 Q1.
- **Grande I, Kunz M, Potter W, Balanza-Martinez V, Vieta, E, Kapczinski F.** *Should bipolar disorder be considered a systemic illness?* Neurosychiatry 2011; 1:45-54 FI: 0,486 (2012) Q4.
  - **Corcoran CM, Kimhy D, Parrilla-Escobar MA, Cressman VL, Stanford AD, Thompson J, David SB, Crumbley A, Schobel S, Moore H, Malaspina D.** *The relationship of social function to depressive and negative symptoms in individuals at clinical high risk for psychosis.* Psychological Medicine 2011; 41:251-261 FI: 6.159 Q1.
  - **Recio JS, Álvarez-Dolado M, Díaz D, Baltanás FC, Piquer-Gil M, Alonso JR, Weruaga E.** *Bone Marrow Contributes Simultaneously to Different Neural Types in the Central Nervous System Through Different Mechanisms of Plasticity.* Cell Transplantation 2011; 20:1179-1192 FI: 4.422 Q1.
  - **Ramos-Quiroga JA, Casas M.** *Achieving Remission as a Routine Goal of Pharmacotherapy in Attention-Deficit Hyperactivity Disorder.* CNS Drugs 2011; 25:17-36 FI: 4.795 Q1.
  - **Almolda B, Gonzalez B, Castellano B.** *Antigen presentation in EAE: role of microglia, macrophages and dendritic cells.* Frontiers in Bioscience-Landmark 2011; 16:1157-1171 FI: 3.520 Q2.
  - **Baltanás FC, Curto GG, Gómez C, Díaz D, Murias AR, Crespo C, Erdelyi F, Szabó G, Alonso JR, Weruaga E.** *Types of Cholecystokinin-Containing Periglomerular Cells in the Mouse Olfactory Bulb.* Journal of Neuroscience Research 2011; 89: 35-43 FI: 2.738 Q3.
  - **Perez-Rodriguez MM, Lopez-Castroman J, Martínez-Vigo M, Diaz-Sastre C, Ceverino A, Núñez-Beltrán A, Saiz-Ruiz J, de Leon J, Baca-Garcia E.** *Lack of Association between Testosterone and Suicide Attempts.* Neuropsychobiology 2011; 63:125-130 FI: 2.675 Q2.
  - **Carballo JJ, Muñoz-Lorenzo L, Blasco-Fontecilla H, López-Castroman J, García-Nieto R, Dervic K, Oquendo MA, Baca-Garcia E.** *Continuity of Depressive Disorders from Childhood and Adolescence to Adulthood: A Naturalistic Study in Community Mental Health Centers.* Prim Care Companion CNS Disord 2011; 13:doi:10.4088/PCC.11m01150

*Ferrin M, Taylor E.* Child and caregiver issues in the treatment of attention deficit-hyperactivity disorder: education, adherence and treatment choice. *Future Neurology* 2011;6:399-413.

- **García Nieto R, Castellanos FX** *A Meta-Analysis of Neuropsychological Functioning in Patients with Early Onset Schizophrenia and Pediatric Bipolar Disorder.* *Journal of Clinical Child & Adolescent Psychology* 2011;40:266-280.
- **Balanzá-Martínez V, Fries GR, Colpo GD, Silveira PP, Portella AK, Tabarés-Seisdedos R, Kapczinski F.** *Therapeutic use of omega-3 fatty acids in bipolar disorder.* *Expert. Rev. Neurother.* 2011; 11:1029-1047.
- **Capitao L, Sampaio A, Sampaio C, Vasconcelos C, Fernández M, Garayzábal E, Shenton ME, Gonçalves OF** *MRI amygdala volume in Williams Syndrome.* *Research in Developmental Disabilities* 2011; 32:2767-2772.
- **Montse F, Sampaio A, Lens M, Carracedo A, Gonçalves OF** *Longitudinal Assessment of narrative profile in a Williams Syndrome patient.* *The British Journal of Developmental Disabilities* 2011; 57:95-103.